

Flu Watch

MMWR Week 51: December 17 to December 23, 2017

All data are provisional and subject to change as more reports are received.

Geograp

Geographic Spread

South Carolina reported **widespread activity** this week. This is the **second week** at widespread activity.



Influenza-Associated Hospitalizations and Deaths

A total of **129** influenza-associated hospitalizations were reported by 42 hospitals. The cumulative hospitalization rate is **7.7** per 100,000. There was **1** laboratory-confirmed influenza-associated death reported. The cumulative mortality rate is **0.20** per 100,000. Compared to the previous week, the number of reported hospitalizations **increased** by **68** (**111.5%**). In the current flu season, there have been **382** influenza-associated hospitalizations and **8** influenza-associated deaths reported.



Virologic Surveillance

A total of **3,032** influenza cases (**2,977** positive rapid antigen detection tests; **55** lab-confirmed tests) were reported from 41 counties representing all four DHEC Public Health regions. Influenza A was most frequently reported by clinical labs. Compared to the previous week, this is an **increase** of **1,445** cases (**94.3%**). In the current flu season, there have been **8,119** influenza cases (**7,924** positive rapid antigen detection tests; **195** lab-confirmed tests) reported.

For a description of South Carolina's influenza surveillance components and definitions go to: http://www.scdhec.gov/Health/DiseasesandConditions/

ili

Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was **6.43%**, which is **above** South Carolina's baseline (**3.13%**). Compared to the previous week, this is an **increase** of **2.09%**.

The ILI activity level was **high.**

For national surveillance, please visit: https://www.cdc.gov/flu/weekly/




Virologic Surveillance

This week, **55** lab-confirmed cases and **2,977** positive rapid influenza detection tests were reported by clinical and public health labs.

The percentage of specimens sent to the state public health lab that tested positive for influenza was **40%**.

Influenza A was most frequently reported by clinical labs.




Influenza Cases Reported by Public Health and Clinical Labs, This Week and Season Total

Influenza Type	Public	Health Lab	Cli	inical Labs	Total		
	This Week	Season Total	This Week	Season Total	This Week	Season Total	
Overall	1	14	3031	8105	3032	8119	
Influenza A	1	10 (71.4%)	2456 (81.0%)	6465 (79.8%)	2457 (81.0%)	6475 (79.8%)	
A (H3)		8 (80.0%)	3 (0.2%)	29 (0.5%)	3 (0.2%)	37 (0.6%)	
A (H1N1)	1 (100%)	2 (20.0%)	11 (0.4%)	15 (0.2%)	12 (0.4%)	17 (0.2%)	
A (not subtyped)			2442 (99.4%)	6421 (99.3%)	2442 (99.4%)	6421 (99.2%)	
Influenza B	_	4 (28.6%)	557 (18.4%)	1549 (19.1%)	557 (18.4%)	1553 (19.1%)	
B (Victoria)				·			
B (Yamagata)	_=	2 (50%)				2 (0.1%)	
B (lineage not performed)			557 (100%) 1549 (100%)		557 (100%) 1551 (99.9%)		
Influenza (not typed)			18 (0.6%)	91 (1.1%)	18 (0.6%)	91 (1.1%)	



Virologic Surveillance

Weekly Influenza Case Rate/100,000 By County



Includes all lab-confirmed and positive rapid cases





Influenza-Like Illness Surveillance

This week, the ILI activity level was **high** and **6.43%** of patient visits to SC ILINet providers was attributed to an influenza-like illness. This is **above** the state baseline, **3.13%**.

Reports were received from providers in 8 counties, representing all 4 DHEC Public Health regions.

ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.





State ILI Activity Level 2017-18 Calendar by Week of the Year

OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
40	44	48									
41	45	49									
42	46	50									
43 47	47	51									


ILI ACTIVITY LEVELS: MINIMAL LOW MODERATE HIGH



Influenza-Associated Hospitalizations And Deaths

Age	Ho	spitalization	5	Deaths			
Group							
	This Week	Rate per	Season	This Week	Rate per	Season	
		100, 000	Total		100, 000	Total	
0 to 4	7	7.2	21				
5 to 17	7	2.3	19				
18 to 49	25	2.8	57				
50 to 64	23	8.2	75				
65 & older	67	33.2	210	1	1.2	8	
Total	129	7.7	382	1	0.2	8	

The percentage of deaths attributed to pneumonia and influenza was 6.3%. This is **below** the epidemic threshold for the week ending December 2, 2017.



Reported Influenza-Associated Hospitalizations by Age Group, 2015-16 Season to Present

